



Atkinson & Kirby

Real Wood Flooring for Professionals

Uniclass L532: P511	EPIC E411: X52/3
CI/SfB (43)	Hi3



Contract Range
Pre-Finished Hardwood Flooring



ATKINSON & KIRBY LTD HAVE BEEN PRODUCING HARDWOOD FLOORING FOR OVER 100 YEARS, AND OUR REPUTATION PRECEDES US. WE PRIDE OURSELVES ON ONLY MANUFACTURING AND SUPPLYING QUALITY HARDWOOD FLOORING AND ACCESSORIES AND PRESENTING THEM TO OUR CUSTOMERS WITH THE HIGHEST LEVELS OF CUSTOMER SERVICE AND EFFICIENCY.

ALL OUR PARTNER MILLS ARE VISITED REGULARLY TO ENSURE THAT THEY MEET OUR STANDARDS AND TO ENSURE THAT PRODUCT QUALITY IS MAINTAINED.

THE CONTRACT COLLECTION HAS BEEN SPECIFICALLY PUT TOGETHER TO MEET THE DEMANDS OF THE COST, YET QUALITY, CONSCIOUS CONTRACT MARKET. OAK IS BY FAR THE MOST POPULAR TIMBER SPECIES FOR WOOD FLOORING AND THE CONTRACT COLLECTION RECOGNISES THIS BY UTILISING IT IN MANY FORMATS.





CONTRACT RANGE SOLID

CONTRACT SOLID OOZES CHARACTER, WITH ALL THE KNOTS AND COLOUR VARIATION THAT YOU WOULD EXPECT TO SEE IN A NATURAL REAL WOOD FLOOR.

THIS LITTLE TOUCH OF LUXURY UNDER FOOT IS SUITABLE FOR USE IN BOTH COMMERCIAL AND DOMESTIC AREAS.

White Oak Natural



CONTRACT RANGE MULTI-LAYER

WHEN AFFORDABILITY IS OF PRIME IMPORTANCE, CONTRACT MULTI-LAYER IS AN IDEAL CHOICE.

DURABLE OILED AND LACQUERED FINISHES ARE AVAILABLE IN A CHOICE OF 3 STRIP OR PLANK CONSTRUCTION.

FOR THOSE WHO WOULD LIKE THE ADDED REASSURANCE THAT THEIR FLOORING COMES FROM WELL MANAGED SOURCES, THE LACQUERED FINISHES ARE AVAILABLE AS FSC CERTIFIED (TT-COC-002266), SO YOU CAN BE EXTRA SAFE IN THE KNOWLEDGE THAT YOUR FLOORING HAS COME FROM A SUSTAINABLE SOURCE.

White Oak Plank

MADE TO THE SAME SPECIFICATION AS CONTRACT MULTI-LAYER BUT ENCOMPASSING THE CONVENIENCE OF A CLICK PROFILE.

IF YOU ARE LOOKING FOR THE CHARACTER AND GRAIN OF OAK, BUT STILL WANT SOMETHING A LITTLE DIFFERENT THEN ASIDE FROM THE STANDARD LACQUERED 3 STRIP AND PLANK, CLICK ALSO INCLUDES WHITE BIRCH, HONEY AND COFFEE STAINED OAK IN AN OILED FINISH.



CONTRACT SOLID RANGE SPECIFICATIONS

- Thickness:** 18mm
- Length:** Random (Average varies according to width)
- Face Width:** White Oak: 90mm, 110mm, 120mm, 130mm and 150mm
Maple: 125mm
- Finish:** 7 coats of UV acrylic seal or Brushed and UV Oiled.
Tongue, grooved and end matched with micro bevelled edges.
Load bearing when laid on to joists or battens.



Maple Mill Run
(Prime also available)



White Oak Natural

CONTRACT MULTI-LAYER RANGE SPECIFICATIONS

Single Strip (Plank)

- Thickness:** 15mm
- Board Size:** 15 x 189 x 1830mm
- Finish:** 7 coats of UV cured seal.
Square edges.
- Hardwood Wear Layer:** 4mm
- Softwood Core:** 9mm
- Back Veneer:** 2mm
- Grade:** Natural

Single Strip (Plank)

- Thickness:** 14mm
- Board Size:** 14 x 148 x 1830mm
- Finish:** 7 coats of UV cured seal or UV Oil.
Micro bevelled edges.
- Hardwood Wear Layer:** 3.6mm
- Softwood Core:** 9mm
- Back Veneer:** 1.4mm
- Grade:** Natural

3 Strip

- Thickness:** 14mm
- Board Size:** 14 x 189 x 2200mm
- Finish:** 7 coats of UV cured seal.
Square edges.
- Hardwood Wear Layer:** 3.6mm
- Softwood Core:** 9mm
- Back Veneer:** 1.4mm
- Grade:** Natural



White Oak Plank



White Oak Plank
(Oiled)



White Oak 3 Strip

CONTRACT CLICK RANGE SPECIFICATIONS

Plank

- Board Size:** 14 x 127mm x Random lengths (White Birch)
15 x 189 x 1830mm
- Finish:** 7 coats of UV lacquer or Brushed & UV Oiled.
Micro bevelled edges.
- Hardwood Wear Layer:** 4mm
- Grade:** Natural

3 Strip


- Board Size:** 14 x 189 x 2200mm
- Finish:** 7 coats of UV lacquer
Square edges.
- Hardwood Wear Layer:** 3mm
- Grade:** Natural

2 Strip


- Board Size:** 14 x 189 x 2200mm
- Finish:** 7 coats of UV lacquer
Square edges.
- Hardwood Wear Layer:** 3mm
- Softwood Core:** 9mm
- Grade:** Natural



White Birch



White Oak



Honey Oak



Coffee Oak

TECHNICAL INFORMATION

GRADE DESCRIPTIONS

Natural Grade

A flooring product that contains the natural character of the timber, will contain variations in colour and varying characteristics. Open characters such as checks and knotholes are admitted but must be sound and readily filled.

Mill Run

Unselected, as the timber will provide.

Prime/Select

This is the highest grade containing predominantly heartwood but containing some sapwood. And provides a floor with a generally uniform appearance. Allow for small burs and equivalent characters such as tight checks and it will be as the timber produces.

MAINTENANCE GUIDANCE

The Diamond Range is suitable for use in Commercial and Domestic situations. As with all Hardwood Floors maintenance is the key to lifelong service and beauty.

Wood will mature with age, some colours will change and get a richer tone by exposure to UV light (sunlight).

By following these simple maintenance guidelines you will maintain the natural beauty of the floor. You should always remember, wood is a natural product; its looks will improve as the floor matures.

By following these simple guidelines your Atkinson & Kirby Hardwood Floor will remain attractive and give many years of use.

ROUTINE MAINTENANCE

Dirt and Grit are the enemies of all Wooden Floors. Make sure that a sturdy doormat is in place both inside and outside all exterior access doorways. Sharp objects can damage your floor. Always protect the floor by using felt pads on furniture legs. Don't forget that pet's claws, stiletto heels and sharp objects can scratch and damage the floor.

VACUUM & DAMP CLEAN

Use a Vacuum cleaner on a daily basis. This will remove Dirt and Grit and prevent it from scratching the floor surface. For more thorough cleaning use a damp mop or cloth with a light spray of Atkinson & Kirby Finitec Cleaner. Remember, you must never use too much water on wooden floors. Standing water should be removed immediately.

STAINS

As with all floor coverings stains should be removed whilst they are still wet. After removal of the stain wipe the floor with a clean damp cloth.

REPAIRS

Small nicks and scratches can be touched up using our colour-matched fillers. For slightly larger areas a small amount of our Touch-Up sealer can be mixed with the filler. In the case of larger areas of damage the floor can be sanded and resealed. Only a suitable expert should carry out this type of work.

RE-SEALING / REJUVENATING

After a period of time you may find that in some areas (entranceways, high traffic areas etc.) the floor starts to look dull. In the first instance use Atkinson & Kirby's Refinisher. For best results this should be used with our Refinisher Applicator.

With correct maintenance your Hardwood Floor will give many years of use, adding a warmth and beauty.

Supplies of Atkinson & Kirby maintenance products are available from your local supplier.

IMPORTANT DO'S AND DONT'S

DO

- Clean the floor regularly.
- Wipe up any spilt liquids immediately (wood will absorb liquids and expand).
- Use protective pads under all furniture legs.
- Use barrier mats at all external doors.
- Protect your floor from grit.
- Keep the ambient temperature to 20°C.
- Use a DAMP mop to clean the floor.

DON'T

- Allow liquid to stand on the floor, this can cause the wood to expand.
- Use abrasive cleaners, these will damage the seal.
- Allow sharp or abrasive objects to come into contact with the floor. Please note that stiletto heels and pet's claws may damage hardwood flooring.

For further information on fitting and maintenance, please contact your hardwood flooring supplier or Atkinson & Kirby direct.

Other ranges also available:

Traditional Range Solid Unfinished Hardwood Flooring

Diamond Range Solid and Multi-Layer Pre-Finished Hardwood Flooring

Platinum Range 15mm Pre-Finished Multi-Layer Hardwood Flooring

Platinum Clic 15mm Pre-Finished Glueless Multi-Layer Hardwood Flooring

Platinum Fine Line 15mm Contemporary Pre-Finished Multi-Layer Hardwood Flooring



Discounts for
CFA members.



The FSC Logo identifies products which contain wood from well managed forests certified in accordance with the rules of the Forest Stewardship Council.

TT-COC-002266

© 1996 Forest Stewardship Council A.C.



Atkinson & Kirby
Real Wood Flooring for Professionals

Head Office:

Atkinson & Kirby Ltd., Atkinson Road,
Ormskirk, Lancashire, L39 2AJ

T +44 (0) 1695 573234 **F** +44 (0) 1695 586902

London Office:

Atkinson & Kirby Ltd., Unit 4, Inwood Business Centre,
Whitton Road, Hounslow, Middlesex, TW3 2EB

T +44 (0) 208 577 1100 **F** +44 (0) 208 577 0400

E sales@akirby.co.uk **W** www.akirby.co.uk