

Polyflor **PR** polish-free flooring



**POLYFLOR**
COVERING THE WORLD



Alliance Property Group: Reid Architects

POLYFLOR PUR. POLISH-FREE FLOORING.

For attractive, high-performance, homogeneous floorcoverings, the Polyflor PUR range of products is the perfect choice.

From traditional marbleised through to sophisticated non-directional decorations, the PUR family of products offers excellent durability, ease of maintenance and endless design possibilities.

Realising the importance of colour and design in creating the perfect environment, Polyflor now invites you to explore the extensive colour options and combinations available to create truly inspirational interiors with enhanced maintenance protection.

PUR - polyurethane reinforcement - facilitates a lifelong polish-free maintenance regime, leading to overall maintenance cost savings of ca. 48%. In addition, fewer cleaning chemicals and greatly reduced power requirements mean reduced environmental impact.

Ideally suited for busy healthcare and education applications, as well as a wide variety of commercial environments, the Polyflor PUR range of polish-free flooring combines toughness, low maintenance and great style for the most demanding of areas.

For sustainable good looks that cost you less, look no further than Polyflor PUR.

POLYFLOR PUR CREATIVE COLOUR SOPHISTICATED PALETTE DECORATIVE
 PERFORMANCE EXTENSIVE CHOICE ENHANCED PROTECTION LIFELONG
 BENEFITS POLISH-FREE MAINTENANCE HIGH PERFORMANCE COST SAVINGS

POLYFLOR PUR CREATIVE COLOUR SOPHISTICATED PALETTE DECORATIVE
 PERFORMANCE EXTENSIVE CHOICE ENHANCED PROTECTION LIFELONG
 BENEFITS POLISH-FREE MAINTENANCE HIGH PERFORMANCE COST SAVINGS

Polyflor PUR. a performance benchmark.



POLYFLOR PUR CREATIVE COLOUR SOPHISTICATED PALETTE DECORATIVE POLYFLOR PUR CREATIVE COLOUR SOPHISTICATED PALETTE DECORATIVE
PERFORMANCE EXTENSIVE CHOICE ENHANCED PROTECTION LIFELONG PERFORMANCE EXTENSIVE CHOICE ENHANCED PROTECTION LIFELONG
BENEFITS POLISH-FREE MAINTENANCE HIGH PERFORMANCE COST SAVINGS BENEFITS POLISH-FREE MAINTENANCE HIGH PERFORMANCE COST SAVINGS



MRI North Devon Hospital, UK

PRESTIGE PUR. CO-ORDINATED APPROACH.


Prestige PUR is a sophisticated range of 16 contemporary shades in a non-directional decoration that enables the creation of visually stunning installations, whatever the environment.

PUR enhancement – benefits in economy and ecology

- Attractive, high-performance, homogeneous floorcovering.
- Polyurethane reinforcement.
- Sophisticated non-directional decoration, with duotone base chips and tonal highlight chips.
- Meets the general requirements of EN 649.

Prestige PUR is a flooring solution that is attractive, durable and easy to maintain. The range comprises a palette of clean, attractive shades and this co-ordinated palette allows for the easy combination of shades within a floor scheme.

PUR protection facilitates the use of a polish-free maintenance regime, reducing maintenance effort and cost for the lifetime of the floorcovering. The 'Group P' abrasion resistance provides excellent durability and long life.



PRESTIGE PUR A CO-ORDINATED APPROACH ATTRACTIVE DURABLE
 COMBINATIONS VISUALLY STUNNING WARMING HUES CALMING INFLUENCE
 CLEAN LIGHT ALL CREATIVE TASTES CONTEMPORARY BALANCED



SPECIFICATIONS



GAUGE: 2.0mm
 AVAILABILITY: Sheet
 Tile: 300 x 300mm, 608 x 608mm





Coxa Hospital, Tampere, Finland

MYSTIQUE PUR. VIBRANT COLLECTION.

Mystique PUR is a collection of 16 bright shades ideally suited to transform any commercial environment with a bold array of colour.

PUR enhancement – benefits in economy and ecology

- Attractive, high-performance, homogeneous floorcovering.
- Polyurethane reinforcement.
- Sophisticated non-directional decoration, with duotone base chips and three highlight chips.
- Meets the general requirements of EN 649.

Mystique PUR is the most vibrant of our PUR ranges where colour has never been stronger. For stylish, bright floors underfoot Mystique PUR combines toughness, low maintenance and opens up countless design possibilities, including linking colours from within the coloured highlight chips to the rest of the overall design.

PUR protection facilitates the use of a polish-free maintenance regime, reducing maintenance effort and cost for the lifetime of the floorcovering. The 'Group P' abrasion resistance provides excellent durability and long life.



Environmental Profile Certificate No. ENP 336




SPECIFICATIONS



GAUGE: 2.0mm

AVAILABILITY: Sheet

Tile: 300 x 300mm, 608 x 608mm



MYSTIQUE PUR VIBRANT COLLECTION BRIGHT SHADES STRONG
 COLOUR DESIGN POSSIBILITIES STYLISH COMBINATIONS HIGHLIGHT
 INSPIRATIONAL INTERIORS DYNAMIC COLOUR PALETTE HIGH PERFORMANCE



Alliance Property Group: Reid Architects

CLASSIC MYSTIQUE PUR SOPHISTICATED COLLECTION UNDERSTATED
 ELEGANCE MUTED REFINED CALM SUBTLE UNCOMPLICATED COOL
 SIMPLE CLEAN LINES ARCHITECTURAL PURE STRUCTURAL NEUTRAL

NEW COLOURS

CLASSIC MYSTIQUE PUR. SOPHISTICATION.

Classic Mystique PUR is an elegant range of subtle shades, combining high performance with optimum style allowing for the creation of a calm and serene environment.

PUR enhancement – benefits in economy and ecology

- Attractive, high-performance, homogeneous floorcovering.
- Polyurethane reinforcement.
- Sophisticated, tonal non-directional decoration with neutral colourways.
- Meets the general requirements of EN 649.

Classic Mystique PUR has been relaunched now with a palette of 16 calm, tonal shades. Whether used independently or as part of a colour scheme this sophisticated palette of harmonious colours is especially suited to the healthcare sector looking for a more ‘classic’ decoration. PUR protection facilitates the use of a polish-free maintenance regime, reducing maintenance effort and cost for the lifetime of the floorcovering. The ‘Group P’ abrasion resistance provides excellent durability and long life.



Environmental Profile Certificate No. ENP 336




SPECIFICATIONS



GAUGE: 2.0mm

AVAILABILITY: Sheet

Tile: 300 x 300mm, 608 x 608mm



Please note: due to limitations of colour printing, actual samples should be seen before colour selection is made.

NEW COLOURS



Staffordshire Hospital, UK

2000 PUR HIGH PERFORMANCE MARBLEISED DECORATION COMMERCIAL
 HARD-WEARING COLOUR PALETTE ATTRACTIVE DUOTONE BASE
 HIGHLIGHT TONES RELIABLE SUITABLE MODERN APPEARANCE DURABLE

2000 PUR. MARBLEISED PALETTE.

New colours are now available in the ever-popular marbleised decoration of 2000 PUR creating a tasteful palette of 20 shades, ideally suited where an easy to maintain flooring with an attractive, modern appearance is required.

PUR enhancement – benefits in economy and ecology

- Attractive, high-performance, homogeneous floorcovering.
- Polyurethane reinforcement.
- Sophisticated marbleised decoration with duotone base and two highlight tones.
- Meets the general requirements of EN 649.

With an extensive and proven pedigree, the refined range of 2000 PUR continues to be a versatile commercial floorcovering available in 2 gauges to suit differing traffic levels and locations.

PUR protection facilitates the use of a polish-free maintenance regime, reducing maintenance effort and cost for the lifetime of the floorcovering. The 'Group M' abrasion resistance provides excellent durability and long life.




SPECIFICATIONS



GAUGE	COLOURS
2.0mm	25 ex-stock
*2.5mm	6 ex-stock

AVAILABILITY: Sheet
 Tile: 300 x 300mm
 608 x 608mm - 2.0mm only



PRODUCT SPECIFICATION. INFORMATION.

	Prestige PUR	Mystique PUR	Classic Mystique PUR	2000 PUR
Available Colours	16	16	16	20
Gauge	2mm	2mm	2mm	2mm, 2.5mm
Wear Layer	2mm	2mm	2mm	2mm, 2.5mm
Roll Size	2m x 20m = 40m ²	2m x 20m = 40m ²	2m x 20m = 40m ²	2m x 20m = 40m ² 2m x 15m = 30m ²
Tile Size	300 x 300mm 608 x 608mm	300 x 300mm 608 x 608mm	300 x 300mm 608 x 608mm	300 x 300mm 608 x 608mm*
Weight	3030g/m ²	3250g/m ²	3250g/m ²	2mm: 3550g/m ² 2.5mm: 4552g/m ²
EN 649	Conforms	Conforms	Conforms	Conforms
BRE Rating	-	A	A	-
Use Area Classification	23, 34, 43	23, 34, 43	23, 34, 43	23, 34, 43
Agrément	G5ws	G5ws	G5ws	G5ws
ASTM F1913	Conforms	Conforms	Conforms	Conforms
ASTM F1700	Conforms	Conforms	Conforms	Conforms
AS 2055.1	Conforms	Conforms	Conforms	Conforms
EN 13501-1	Class Bfl-S1	Class Bfl-S1	Class Bfl-S1	Class Bfl-S1
EN ISO 9239-1	≥8kw/m ²	≥8kw/m ²	≥8kw/m ²	≥8kw/m ²
EN ISO 11925-2	Pass	Pass	Pass	Pass
ASTM E662	<450	<450	<450	-
ASTM E648	Class 1	Class 1	Class 1	Class 1*
EN1081	ca 10 ⁹ ohms	-	-	-
EN 649 Abrasion Group	Group P	Group P	Group P	Group M
EN 13893	Class DS (dry)	Class DS (dry)	Class DS (dry)	Class DS (dry)
Maintenance Enhancement	Polyurethane reinforcement - polish-free	Polyurethane reinforcement - polish-free	Polyurethane reinforcement - polish-free	Polyurethane reinforcement - polish-free

 This product has been independently tested and results demonstrate that it inhibits the growth of MRSA. An effective cleaning regime is however, the most important defence against infection.

*Tile size available in selected gauges - see product page for more details


*Certification available for 2mm only



ARCHITECTS for HEALTH

LOW MAINTENANCE. FLOORING CHOICE.

The benefits of effective floor maintenance are well established. A correctly maintained, clean floor will ensure floor performance and aesthetics, as well as preventing undue wear and hygiene problems. The combination of machinery, materials and labour means that ongoing floor maintenance represents a considerable lifetime expense, significantly outweighing the initial purchase and installation costs. Therefore anything that can be done to make cleaning easier and reduce costs will have a major impact on facility management budgets. It will also lessen the impact on the environment by reducing the amount of chemicals and water used. Polyflor is committed to providing low maintenance options right across our product portfolio.




Polyflor PUR.


- Polyurethane reinforcement provides enhanced protection and an easier maintenance regime.
- Facilitates a lifelong polish-free maintenance regime, leading to overall maintenance cost savings of ca. 48%.

PUR vs NON-COATED						
STAGE	ACTIVITY	TOTAL COST PER 1,000m ²	FREQUENCY		PUR	TOTAL COST NON
			PUR	NON		
INITIAL CLEAN	SWEEP/MOP SWEEP/VACUUM	£4.48	1	1	£4.48	£4.48
	DAMP MOP	£11.40	1	—	£11.40	—
	MACHINE SCRUB	£57.36	—	1	—	£57.36
	DRY BURNISH	£8.09	1	—	£8.09	—
POLISH	3 COATS	£518.99	—	2	—	£15,570
ROUTINE MAINTENANCE	SWEEP/MOP SWEEP/VACUUM	£4.48	260	260	£17,489	£17,489
	SPOT MOP	£10.30	156	104	£24,097	£16,065
	DAMP MOP	£11.40	—	104	—	£17,789
	SPRAY CLEAN & BUFF	£19.48	26	—	£7,596	—
	DRY BURNISH	£8.09	26	104	£3,155	£12,621
	MACHINE SCRUB	£57.36	2	26	£1,721	£22,372
REMOVE POLISH	STRIP	£88.76	—	2	—	£2,663
					£54,082 48%	£104,630

Life cycle maintenance cost comparison [1000m² over 15 years]

The cost savings shown are based on the Polyflor recommended floorcare regimes, using maintenance and labour rates from the British Institute of Cleaning Science. The figures are based on a comparison of maintenance costs of the PUR families with equivalent products with no polyurethane or polymer maintenance enhancement. Further details can be obtained from Polyflor.





Polyflor Ireland
Bracetown Business Park,
Bracetown, Clonee,
Co. Meath, Ireland
Tel: +353 (1) 877 2770
Fax: +353 (1) 877 2734

Polyflor Nordic
Kjelsåsveien 168 B, N-0884 Oslo,
Norway.
Tel: +47 23 00 84 00
Fax: +47 23 00 84 10

FalckDesign AB
PO Box 10251,
SE-434 23 Kungsbacka, Energigatan 9,
Sweden.
Tel: +46 300 15820
Fax: +46 300 15790

objectflor Art und Design Belags GmbH
Wankelstraße 50, 50996 Köln,
Germany.
Tel: +49 (0) 2236 966 330
Fax: +49 (0) 2236 966 3399

Polyflor Hong Kong
Room 2409, 24th Floor,
New York Life Tower,
Windsor House, 311 Gloucester Road,
Causeway Bay, Hong Kong.
Tel: +852 2865 0101
Fax: +852 2520 1001



Halstead Flooring Concepts
11 Dalgety Drive, Wiri,
PO Box 98943 SAMC,
Auckland, New Zealand.
Tel: +64 (0) 9 269 1110
Fax: +64 (0) 9 268 2083

Polyflor Australia
59-65 Wedgewood Road, Hallam, Vic 3803
Australia.
Tel: +61 (0) 3 9215 4400
Fax: +61 (0) 3 9215 4444

www.polyflor.com

For further details on worldwide distribution please refer to
the contacts page at www.polyflor.com.



POLYFLOR LTD. PO BOX 3 RADCLIFFE NEW ROAD WHITEFIELD MANCHESTER M45 7NR UK TEL: +44 (0)161 767 1111
UK SALES DIRECT: +44 (0)161 767 1122 UK SAMPLE REQUESTS: +44 (0)161 767 2551 UK FAX: +44 (0)161 767 1128 EXPORT FAX: +44 (0)161 767 1166
E-MAIL: INFO@POLYFLOR.COM WEBSITE: WWW.POLYFLOR.COM
LIT150 05/06

James Halstead
FLOORING